

使用说明书

本手册适用机型

TUDOU FLIP

使用产品前请仔细阅读


温馨提示

初次使用前，请先将机器内的空气过滤器密封胶袋拆除后再开机使用。在清洁或维护前，务必断开电源。感谢您的支持！

目 录

产 品 结 构	< 1 >
产 品 尺 寸	< 2 >
产 品 功 能	< 3 >
控 制 面 板 介 绍	< 3 >
A P P 功 能 介 绍	< 3 >
米 家 操 说 明	< 4 >
过 滤 器 更 换	< 6 >
配 件 清 单	< 7 >
注 意 事 项	< 7 >
三 包 服 务 卡	< 8 >
产 品 保 修 卡	< 9 >
合 格 证	

产品结构



- A:信号天线

B:出风口


C:控制板
- D:侧进风口

E:杂物盒

F:初效网
- G:过滤器

H:密封板

产品尺寸



产品型号	电压	频率	风量	额定功率	噪音
TUDOU FLIP	220V ~	50Hz	310	500w	12.5dB(A)

产品功能

本产品采用微正压原理, 将室外的空气过滤为干净空气, 源源不断引入室内, 并且把脏空气从门窗缝隙挤出室外, 阻止室外脏空气侵入, 保持室内的空气恒氧供应。本产品增设消音降噪系统, 智能辅热系统, 温度及 PM2.5 粉尘传感器。同时产品支持米家 APP 智能控制, 可根据米家中的空气质量数据智能运行, 更节能, 还智能。

控制面板介绍



APP功能介绍

功能	功能描述	功能	功能描述
	开关		加热新风
	锁定控制面板		可自由调整输出风量
	调整输出风量		过滤器更换提示
	面板背光开关		嗡鸣器开关

米家操作说明



本产品已接入米家, 可通过米家 APP 控制, 或小爱同学语音操控。

启动新风系统

- 1 插上设备新机电源, 点击“电源”启动设备
- 2 点击“风量”调节风速
- 3 长按 3 秒“配网”键进行配网

安装米家APP

扫描二维码, 或在应用商店搜索“米家”, 下载并安装米家 APP; 已安装米家 APP 的用户将被引导至设备连接页。



添加设备

- 1 打开米家 APP, 并登录账号
- 2 点击 APP 首页右上角“+”进入添加设备页面



- 3 点击添加设备页面右上角“+”, 扫描产品二维码后根据页面提示完成设备添加并使用。



提示: 产品二维码无法扫描时, 可通过搜索产品名称, 完成设备添加。此外, 由于米家 APP 不断升级更新, 实际操作可能与以上描述略有差异, 请按照当前米家 APP 内指引进行操作。

小爱同学控制/查询

完成设备添加后,可以使用同一小米帐号下的小爱同学控制、查询该设备。

语音操作示例:

- “小爱同学,开启新风机”
- “小爱同学,新风机调至 2 档”
- “小爱同学,新风机调至最爱档”
- “开启新风机儿童锁”


更多语音控制命令可以访问米家 APP 中“我的”>“产品百科”进行查看。

智能场景联动


该产品可以通过米家 APP 创建智能场景,实现与其他智能设备的联动。

智能场景联动示例:

当门锁反锁时,新风开启




每天 10:00AM, 新风机关闭



更多联动功能,可以点击 APP“智能”页面右上角的“+”根据实际场景,选择设备作为触发条件、或者执行动作,自行创建智能联动场景

过滤器更换

- 在使用侧进风 -FLIP 时不需要做特殊维护,您仅需要根据 APP 提示更换过滤器即可。
- APP 提示需要更换过滤器标准有 2 个。(1)通过 NFC 判断过滤器使用时间,最长半年。(2)通过过滤后 PM2.5 浓度来判断,建议 PM2.5 浓度不超过 2(ug/m3)。初效过滤器建议每三个月清洁一次。
- 我公司每年 618、双 11 均有过滤器优惠,可两节时购买更佳。
- 安装过滤器请按照提示方向安装,如安装错误,或未安装,APP 会显示过滤器未安装。(注:过滤器更换请结合出风 PM2.5 数据判断,如出风 PM2.5 超过 5,请及时更换)。



配件清单

序号	名称	数量	备注	包装
1	胶塞螺丝	4	M8*50MM	配件包
2	定位图纸	1	安装耗材	主机包
3	风管	1	160MM	配件包
4	保护膜	1	安装耗材	配件包
5	积水袋	1	安装耗材	配件包
6	说明书	1		主机包
7	保修卡	1		主机包

注意事项

使用机器之前请仔细阅读说明书关遵守警告事项。

警告

- 只能使用本公司专门为本产品设计的原装过滤网，切勿使用任何其它过滤网。
- 在通电前，请先检查是否装配好所有配置滤网，否则请不要开机。
- 切勿在产品顶部放置任何物品。
- 请勿将手指或其它物体插入出风口。
- 本产品仅限于室内使用，不能于户外使用。
- 切勿让水或任何液体和易燃清洁剂进入产品，以免发生触电和火灾。
- 产品接通电源前，请先确认产品标示电压是否与当地的电源一致。
- 清洁或移动本产品时必须拔下电源线插头。
- 电源线或插头受损，机体受损或产品无法运转时，请勿使用本产品。
- 请勿用沾湿的手接触电源线。
- 请勿靠近火源，不要让产品吸入可燃性气体，或者香烟物品产生的火星，以免发生火灾。
- 请勿吸入有害有毒气体，以防室内人员中毒。
- 请勿自行改造，非专业人员请勿拆卸和修理，出现操作故障及功能异常时，请迅速切断电源并拨打本公司电话或指定售后。

三包服务卡

尊敬的用户：

感谢您选购中电华南新风产品，为保障您的权益，本公司承诺如下：

1. 产品三包服务从购买收货之日起，整机保修三年。
2. 三包服务期限内若产品出现质量问题，均由本公司提供免费维修服务，不能维修的本公司调换新机。
3. 超出保修期维修我公司将收取服务费。
4. 属于下列情况之一者，即使在保修期内，也不能以保修对待。
 - A. 未按产品使用说明书要求使用，维护保管造成损害；
 - B. 因不正确操作，接线不朗诵，电源不正常，破坏（如：摔落等）而造成损坏的；
 - C. 不经中电华南认定维修人员拆动造成损坏的；
 - D. 因不可抗力因素（雷电、地震火灾、水灾等自然灾害）造成损坏的；
 - E. 其它非产品设计，技术，制造，质量等问题而导致的故障或损坏。
5. 过滤器属正常耗材，不在三包范围内。
6. 三包服务卡是您获得服务的重要认证，请妥善保管并在每次申请服务时出示。



深圳中电华南净化科技有限公司

地址：深圳市龙华区观澜湖国际大厦16L

电话：(86)028-64209123

Email: bagogpl@163.com

深圳市中电华南净化有限公司

产品保修卡

用 户 名 : _____ 用 户 姓 名 : _____

产 品 型 号 : _____ 产 品 编 号 : _____

邮件地址: _____

联系电话: _____

用户地址: _____

产品收到日期: _____ 安 装 人 员 : _____

深圳中电华南净化科技有限公司
地址: 深圳市龙华区观澜湖国际大厦16L
电话: (86)028-64209123
Email: bagogpl@163.com

USER'S MANUAL

This manual is applicable to model of:
TUDOU FLIP
please read it carefully before using.

Shenzhen Zhongdian Huanan Purification
Technology Co., Ltd


Reminder

Before initial use, please remove the sealing bag of the air filter inside the machine before turning it on for use. Before cleaning or maintenance, be sure to disconnect the power supply. Thank you for your support!

Catalogue


Structure	<1>
Size	<2>
Function	<3>
Introduction to the Control Panel	<3>
Function introduction of the APP	<3>
Operating instructions of Mijia	<4>
Filter replacement	<6>
Accessories list	<7>
Precautions	<7>
Service card of Three Guarantees	<8>
Warranty card	<9>
Certificate	

Product structure



- A:Signal antenna B:Outlet C:Control board
- D:Side air inlet E:Glove box F:Initial Effect Network
- G:Filter H:Sealing plate

Product size



Product model	Voltage	Frequency	Air volume	Rated power	Noise
TUDOU FLIP	220V~	50Hz	310	500 W	12.5dB(A)

Functions

This product adopts the principle of micro positive pressure, which filter the outdoor air into clean air, and continuously introduce it into the room, and squeeze the dirty air out of the room from the gap of doors and windows to prevent the invasion of outdoor dirty air, so as to maintain the constant oxygen supply of indoor air.

This product is additionally equipped with silencing and noise reduction system, intelligent auxiliary heating system, temperature and PM2.5 dust sensor. At the same time, the product supports intelligent control through Mijia app, which can run intelligently according to the air quality data from Mijia, which is more energy-saving and intelligent.

Introduction to the control panel



Function introduction of the APP

Functions	Description	Functions	Description
	on-off		Heating of fresh air
	Locking of control panel		Adjust the output air volume freely
	Adjustment of output air volume		Filter replacement reminder
	Backlight switch of panel		Buzzer switch

Operating instructions of Mijia



This product has been connected to Mijia and can be controlled through Mijia app or Xiaoai's voice control.

Startup of fresh air system

- 1 Plug in the power supply of the fresh air fan of the equipment and click the “电源” to start.
- 2 Click “风量” to adjust the air speed.
- 3 Press and hold the “配网” button for 3 seconds to configure the network.

Installation of Mijia APP

Scan the QR code on the product, or search for "Mijia" in the app store, download and install the Mijia app; Users who have installed Mijia app will be guided to the device connection page.



Add network device

- 1 Open the Mijia APP and log in the account;
- 2 Click "+" in the upper right corner of the APP home page to enter the add device page.



- 3 Click "扫一扫" in the upper right corner of the add device page to scan the product QR code and complete the device addition and use according to the prompts on the page.



Tip: when the product QR code cannot be scanned, the device can be added by searching the product name. In addition, due to the continuous upgrading of the Mijia app, the actual operation may be slightly different from the above description. Please follow the guidelines in the current Mijia app.

Xiao Ai control/query

After adding the device, you can use Xiaoi under the same Xiaomi account to control and query the device.

Voice operation examples:

- "Xiao AI, turn on the fresh air fan"
- "Xiao AI, turn the fresh air fan to gear 2"
- "Xiao AI, turn the fresh air fan to the favorite gear"
- "Open the child lock of the fresh air fan"


More voice control commands can be viewed by visiting "My" > "Product description" in Mijia app.

Intelligent scene linkage


The product can create smart scenes through Mijia app to realize linkage with other c devices.

Examples of intelligent scene linkage:

When the door lock is locked reversely,
the fresh air is opened




At 10:00 am every day, the fresh air fan is turned off



For more linkage functions, click the "+" in the upper right corner of the app "Intelligent" page to select the device as the trigger condition or perform actions according to the actual scene, and create an intelligent linkage scene user themselves.

Filter replacement

- When using the side air inlet-FLIP, no special maintenance is required. You only need to replace the filter according to the APP prompt.
- The APP prompts the need to replace two filter standards. (1) Determine the filter usage time through NFC, with a maximum of six months. (2) Based on the filtered PM2.5 concentration, it is recommended that the PM2.5 concentration should not exceed 2 (ug/m3). It is recommended to clean the primary filter every three months.
- Our company has filter discounts every 618 and Double 11. It is better to buy during the two festivals.
- Please install the filter according to the prompt direction. If it is installed incorrectly or not installed, the APP will show that the filter is not installed. (Note: Please judge the filter replacement based on the PM2.5 data of the air outlet. If the PM2.5 of the air outlet exceeds 5, please replace it in time).



Accessories list

No.	Description	Qty.	Note	Packing
1	Rubber plug screw	4	M8*50MM	Accessories package
2	Positioning drawing	1	Install consumables	Host package
3	Air duct	1	160MM	Accessories package
4	Protective film	1	Install consumables	Accessories package
5	Water bag	1	Install consumables	Accessories package
6	Manual	1		Host package
7	Warranty card	1		Host package

Precautions:

Please carefully read the warnings in the manual before using the equipment.

Warnings

- Only use the original filter specially designed by our company for this product, and do not use any other filter screen.
- Before power on, please check whether all the configured filters are assembled, otherwise please do not start the equipment.
- Do not place anything on top of the product.
- Do not insert fingers or other objects into the air outlet.
- This product is only for indoor use and cannot be used outdoors.
- Do not let water or any liquid and flammable cleaning agent enter the product to avoid electric shock and fire.
- Before the product is powered on, please confirm whether the marked voltage on the product is consistent with the local power supply.
- Unplug the power cord before cleaning or moving the product.
- Do not use this product when the power cord or plug is damaged, the body is damaged or cannot operate.
- Do not touch the power cord with wet hands.
- Do not get close to fire source, and do not let the product inhale combustible gases or sparks generated by cigarette, so as to avoid fire.
- Do not inhale harmful and toxic gases to prevent indoor personnel from poisoning.
- Do not modify at will, and do not disassemble and repair by non professionals. In case of operation failure and abnormal function, please cut off the power supply quickly and call our company or call for designate after-sales service.

Three Guarantees service card

Dear user:

Thank you for purchasing products from Zhongdian Huanan Fresh Air. In order to protect your rights and interests, the company promises as follows;

1.The Three Guarantee service of the product is guaranteed for three years from the receipt date of purchase.

2.If the product has quality problems during the Three Guarantees service period, the company will provide maintenance services for free. If it cannot be repaired, the company will replace it with a new one.

3.For repairs beyond the warranty period, our company will charge a service fee.

4.Under any of the following circumstances, even within the warranty period, it cannot be treated as warranty:

A.Damage caused by failure to use, maintain or keep the product in accordance with the requirements of the product manual;

B.Damage caused by incorrect operation, improper wiring, abnormal power supply and damage (such as falling);

C.Damage caused by dismantling by maintenance personnel not recognized by Zhongdian Huanan;

D.Damage caused by force majeure (lightning, earthquake, fire, flood and other natural disasters);

E.Failure or damage not caused by others such as product design, technology, manufacturing, quality and other problems;

5.The filter is a normal consumable and is not within the scope of Three Guarantees;

6.The Three Guarantees service card is an important voucher to obtain services. Please keep it properly and show it every time when applying for services.



(WeChat official account)

Shenzhen Zhongdian Huanan Purification Technology Co., Ltd

Address: 16L Mission Hills International Building, Longhua District, Shenzhen

Tel: (86)028-64209123

Email: bagogpl@163.com

Shenzhen Zhongdian Huanan
purification Co., Ltd

Product warranty card

U s e r : _____ User name: _____

Product model: _____ Product number: _____

Email address: _____

Contact number: _____

User address: _____

Product receiving date: _____ Installer: _____

Shenzhen Zhongdian Huanan Purification
Technology Co,Ltd

Address:16L Mission Hills International
Building,Longhua District,Shenzhen

Tel:(86)028-64209123

Email:bagogpl@163.com